Prescription Treatment® brand

ADVANCE® 360A

Dual Choice® Ant Bait Stations

KILLS THE QUEEN; KILLS THE COLONY

FOR USE IN AND AROUND: Apartments, Campgrounds, Food Storage Areas, Homes, Hospitals, Hotels, Meat Packing and Food Processing Plants, Motels, Nursing Homes, Resorts, Restaurants and other Food Handling Establishments, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks, Planes), Utilities, Warehouses and other Commercial and Industrial Buildings

EFFECTIVE AGAINST: Argentine Ants, Cornfield Ants, Pharaoh Ants, and a Variety of Household Ants

This product contains a slow acting insect bait. For best results placement of the bait should be into or near insect harborage sites.

EPA Reg. No. 499-496

DO NOT ALLOW CHILDREN OR PETS TO PLAY WITH THE BAITS

CAUTION

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 min. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15 - 20 min. Remove contact lenses, if present, after the first 5 min, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also call 1-800-832-HELP for emergency medical treatment information.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling.

DIRECTIONS FOR USE IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

ANTS: Concentrate treatment at insect activity sites. Ants are attracted to the bait and it is carried back to the nest to kill the queen and destroy the colony. Bait is packaged in a child-resistant container.

- Break bait stations apart from the plastic frame. To stick on vertical surfaces, remove peel and stick backing on reverse side of bait station.
- 2. For thorough ant control, use as many bait stations as necessary (normally 3 4 stations for an average size room or 6 8 stations for a heavy infestation).
- 3. For best results, also place bait stations along walls, baseboards, in corners, under sinks, in cabinets, pantries, near plumbing, electrical lines, potted plants, waste receptacles, sensitive electronic equipment, inside drop cellings, wall voids, under and around equipment and appliances.
- 4. Replace bait stations when necessary, approx. every 3 mo.

APPLICATIONS IN FOOD HANDLING ESTABLISHMENTS: Food handling establishments include places other than private residences in which food is held, processed, prepared or served.

FOOD AREAS: Include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Avoid contamination of food. Use as instructed above.

AIRCRAFT CABINS: Place bait stations in suspected and active ant areas. Place bait stations in areas between elements of construction. Use up to 6 bait stations per galley and up to 3 bait stations per rest room. In cargo holds, use 6 - 12 bait stations per 100 ft². Do not use bait stations in cockpit area.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food.

PESTICIDE DISPOSAL: Waste resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. If Empty: Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency for disposal instructions.

Manufactured for:

Whitmire Micro-Gen Research Laboratories, Inc.® 3568 Tree Court Industrial Blvd.
St. Louis MO 63122-6682
Questions? Call 1-800-777-8570
© 2009 Whitmire Micro-Gen Research Laboratories, Inc.®